



PVC-C Ball Check Valve

451

Double union check valve with easy disassembly and excellent flow characteristics.

Material	PVC-C
Size range	DN15-DN100 (1/2"-4")
Sealing ring	EPDM, FPM
Installation	Vertical or horizontal
Connection	DIN, ANSI, JIS



HUAGONG WEIYE

HUBEI HUAGONG WEIYE COMPLETE EQUIPMENT CO., LTD

Ball check valve technical data

球型逆止阀

BALL CHECK VALVE

描述：

- 提供材质：PVC-U, PVC-C, PP-H, PVDF。
- 尺寸：DN15-DN100(1/2"-4")。
- 密封圈：EPDM、FPM。
- 提供承插口标准：公制 DIN 、美标 ASTM、日标 JIS。
- 螺纹标准：NPT、BSPS、G。
- 方便拆装的活接端。
- 适合于垂直或水平安装。
- 耐多种无机化学品腐蚀。
- 流动特性好。

Description:

- Material: PVC-U, PVC-C, PP-H, PVDF.
- Size: DN15-DN100(1/2"-4").
- Seal ring: EPDM, FPM.
- Standard: provide socket metric DIN, ASTM, JIS.
- Thread standards: NPT, BSPS, G.
- Easy disassembling articulated.
- Suitable for vertical or horizontal installation.
- Resistance to many inorganic chemicals.
- Excellent flow characteristics.






PVC-C Ball Check Valve dimensions

球型逆止阀 PVC-C 451 系列

BALL CHECK VALVE PVC-C 451 SEVERS



球型逆止阀 PVC-C 451--DIN

Ball Check Valve PVC-C 451--DIN

NOM SIZE		D	d1	d2	H	h1	h2	h3	EPDM Code	FPM Code
1/2"	DN15	54.7	20	15.5	86.6	65	55	48	451 70602	451 73602
3/4"	DN20	60.6	25	20.5	98	74.5	60	54	451 70703	451 73703
1"	DN25	73	32	26	117.5	84.5	73.5	64	451 70804	451 73804
1 1/4"	DN32	100	42	37	161.2	124.3	99.2	92	451 70905	451 73905
1 1/2"	DN40	100	50	41	161.2	124.3	99.2	92	451 71006	451 74006
2"	DN50	124	63	51	182.5	134.5	106.5	100	451 71107	451 74107
2 1/2"	DN65	164	75	64	249	185	149	137	451 71208	451 74208
3"	DN80	200	90	80	269	202	167	145	451 71309	451 74309
4"	DN100	234	110	96	312	228	190	165	451 71410	451 74410

球型逆止阀 PVC-C 451--ANSI

Ball Check Valve PVC-C 451--ANSI

NOM SIZE		D	d1	d2	H	h1	h2	h3	EPDM Code	FPM Code
1/2"	DN15	54.7	20	15.5	86.6	65	55	48	451 71602	451 74602
3/4"	DN20	60.6	25	20.5	98	74.5	60	54	451 71703	451 74703
1"	DN25	73	32	26	117.5	84.5	73.5	64	451 71804	451 74804
1 1/4"	DN32	100	42	37	161.2	124.3	99.2	92	451 71905	451 74905
1 1/2"	DN40	100	50	41	161.2	124.3	99.2	92	451 72006	451 75006
2"	DN50	124	63	51	182.5	134.5	106.5	100	451 72107	451 75107
2 1/2"	DN65	164	75	64	249	185	149	137	451 72208	451 75208
3"	DN80	200	90	80	269	202	167	145	451 72309	451 75309
4"	DN100	234	110	96	312	228	190	165	451 72410	451 75410

球型逆止阀 PVC-C 451--JIS

Ball Check Valve PVC-C 451--JIS

NOM SIZE		D	d1	d2	H	h1	h2	h3	EPDM Code	FPM Code
1/2"	DN15	54.7	20	15.5	86.6	65	55	48	451 72602	451 75602
3/4"	DN20	60.6	25	20.5	98	74.5	60	54	451 72703	451 75703
1"	DN25	73	32	26	117.5	84.5	73.5	64	451 72804	451 75804
1 1/4"	DN32	100	42	37	161.2	124.3	99.2	92	451 72905	451 75905
1 1/2"	DN40	100	50	41	161.2	124.3	99.2	92	451 73006	451 76006
2"	DN50	124	63	51	182.5	134.5	106.5	100	451 73107	451 76107
2 1/2"	DN65	164	75	64	249	185	149	137	451 73208	451 76208
3"	DN80	200	90	80	269	202	167	145	451 73309	451 76309
4"	DN100	234	110	96	312	228	190	165	451 73410	451 76410