



PVC-U Ball Check Valve

452

Double union check valve with easy disassembly and excellent flow characteristics.

Material	PVC-U
Size range	DN15-DN100 (1/2"-4")
Sealing ring	EPDM, FPM
Installation	Vertical or horizontal
Connection	DIN, ANSI, JIS



HUAGONG WEIYE

HUBEI HUAGONG WEIYE COMPLETE EQUIPMENT CO., LTD

Ball check valve technical data

球型逆止阀 BALL CHECK VALVE

描述：

- 提供材质：PVC-U, PVC-C, PP-H, PVDF。
- 尺寸：DN15-DN100(1/2"-4")。
- 密封圈：EPDM、FPM。
- 提供承插口标准：公制 DIN、美标 ASTM、日标 JIS。
- 螺纹标准：NPT、BSPS、G。
- 方便拆装的活接端。
- 适合于垂直或水平安装。
- 耐多种无机化学品腐蚀。
- 流动特性好。

Description:

- Material: PVC-U, PVC-C, PP-H, PVDF.
- Size: DN15-DN100(1/2"-4").
- Seal ring: EPDM, FPM.
- Standard: provide socket metric DIN, ASTM, JIS.
- Thread standards: NPT, BSPS, G.
- Easy disassembling articulated.
- Suitable for vertical or horizontal installation.
- Resistance to many inorganic chemicals.
- Excellent flow characteristics.






PVC-U ball check valve dimensions

球型逆止阀 PVC-U 452 系列

BALL CHECK VALVE PVC-U 452 SEVERS



球型逆止阀 PVC-U 452 --DIN

Ball Check Valve PVC-U 452 --DIN

NOM		D	d1	d2	H	h1	h2	h3	EPDM Code	FPM Code
SIZE										
1/2"	DN15	54.7	20	15.5	86.6	65	55	48	452 60601	452 63601
3/4"	DN20	60.6	25	20.5	98	74.5	60	54	452 60702	452 63702
1"	DN25	73	32	26	117.5	84.5	73.5	64	452 60803	452 63803
1 1/4"	DN32	100	42	37	161.2	124.3	99.2	92	452 60904	452 63904
1 1/2"	DN40	100	50	41	161.2	124.3	99.2	92	452 61005	452 64005
2"	DN50	124	63	51	182.5	134.5	106.5	100	452 61106	452 64106
2 1/2"	DN65	164	75	64	249	185	149	137	452 61207	452 64207
3"	DN80	200	90	80	269	202	167	145	452 61308	452 64308
4"	DN100	234	110	96	312	228	190	165	452 61409	452 64409

球型逆止阀 PVC-U 452 --ANSI

Ball Check Valve PVC-U 452 --ANSI

NOM		D	d1	d2	H	h1	h2	h3	EPDM Code	FPM Code
SIZE										
1/2"	DN15	54.7	20	15.5	86.6	65	55	48	452 61601	452 64601
3/4"	DN20	60.6	25	20.5	98	74.5	60	54	452 61702	452 64702
1"	DN25	73	32	26	117.5	84.5	73.5	64	452 61803	452 64803
1 1/4"	DN32	100	42	37	161.2	124.3	99.2	92	452 61904	452 64904
1 1/2"	DN40	100	50	41	161.2	124.3	99.2	92	452 62005	452 65005
2"	DN50	124	63	51	182.5	134.5	106.5	100	452 62106	452 65106
2 1/2"	DN65	164	75	64	249	185	149	137	452 62207	452 65207
3"	DN80	200	90	80	269	202	167	145	452 62308	452 65308
4"	DN100	234	110	96	312	228	190	165	452 62409	452 65409

球型逆止阀 PVC-U 452--JIS

Ball Check Valve PVC-U 452--JIS

NOM		D	d1	d2	H	h1	h2	h3	EPDM Code	FPM Code
SIZE										
1/2"	DN15	54.7	20	15.5	86.6	65	55	48	452 62601	452 65601
3/4"	DN20	60.6	25	20.5	98	74.5	60	54	452 62702	452 65702
1"	DN25	73	32	26	117.5	84.5	73.5	64	452 62803	452 65803
1 1/4"	DN32	100	42	37	161.2	124.3	99.2	92	452 62904	452 65904
1 1/2"	DN40	100	50	41	161.2	124.3	99.2	92	452 63005	452 66005
2"	DN50	124	63	51	182.5	134.5	106.5	100	452 63106	452 66106
2 1/2"	DN65	164	75	64	249	185	149	137	452 63207	452 66207
3"	DN80	200	90	80	269	202	167	145	452 63308	452 66308
4"	DN100	234	110	96	312	228	190	165	452 63409	452 66409